Firmware Update Guide

X One Adapter SE

© Brook All Rights Reserved. www.brookaccessory.com November 2020

This document describes how to update the firmware of Brook X One Adpter SE.

- ⚠ **NOTE :** The update must be done on a PC; it cannot be done on a console.
- ⚠ **NOTE :** Make sure your PC is connected to the internet.
- ⚠ **NOTE :** Disable antivirus before executing the program.
- ⚠ **NOTE :** The ONLINE version firmware just needs to be downloaded once. The following firmware updates will be executed online with this program.

STEP 1 Download the update files from "**Download**" on Brook website:

www.brookaccessory.com

Unzip it, and execute the program.

STEP 2 Make sure your X One Adapter SE is connected to controller. Switch to ''PS" on X One Adapter SE, then connect X One Adapter SE to PC with a usb cable.

© Brook All Rights Reserved. www.brookaccessory.com November 2020

STEP 3 When **Update** icon shows up, click it to start update.

STEP 4 **DO NOT** disconnect during the update process.



© Brook All Rights Reserved. www.brookaccessory.com November 2020

STEP 5 The following screen will be shown once update has successfully finished.



STEP 6 In case the firmware update fails, the following screen will show. Failure could have the following cause: wrong file.

Please try to redo the setup from the beginning. We recommend that you visit our website www.brookaccessory.com and download the update file again before restarting the update.

© Brook All Rights Reserved. www.brookaccessory.com November 2020